


INVERTER

Inverter technology exceptional energy-saving performance

Panasonic Inverter air conditioners are designed to give you exceptional energy savings and performance, whilst also ensuring you stay comfortable at all times. At the start up of an air conditioner's operation, powerful operation is required to reach the set temperature. After the set temperature is reached, less power is required to maintain it. A conventional non-Inverter air conditioner can only operate at a constant speed which is too powerful to maintain the set temperature. Thus, in attempting to achieve this, it switches the compressor ON and OFF repeatedly. This results in wider temperature fluctuations leading to wasteful consumption of energy. The Panasonic Inverter air conditioner varies the rotation speed of the compressor. This provides a highly precise method of maintaining the set temperature. Unlike a conventional non-Inverter air conditioner which consumes a lot of energy, Panasonic Inverter air conditioner reduces wasteful operation – giving you energy savings of up to 50% on cooling mode.

The advantages of inverter air conditioners. Comparing Inverter and non-Inverter air conditioners NO INVERTER




NO INVERTER Slow to start. Takes longer to reach the temperature set point. The temperature oscillates between the two extremes and never stabilises. The temperature falls and then rises quickly, leading to a consumption peak.

INVERTER Rapidly reaches the desired temperature. Adjusts the temperature: more comfort and greater savings. Keeps the temperature comfortable all the time

Why Panasonic Inverter is better?

Panasonic leads production of compressors around the world. This fact is giving tremendous technology advantage in the core part of heat pumps. That's why Panasonic Inverter provides quicker response, thanks to higher maximum performance, meanwhile lower speed level of compressor allows to keep temperature with minimum effort. Additionally Panasonic provides 5 years warranty in compressor.



Electricity Consumption Comparison. During Cooling Up To 50 $\%^1$ energy savings.

1. Comparison of 1.5 HP Inverter model and 1.5 HP No Inverter model (Cooling)

Outside temperature: 35 °C / 24 °C. Remote setting temperature: 25 °C with Fan speed (High) Vertical Airflow direction:
Auto, Horizontal Airflow direction: Front.
Total bower consumption amount are measured for 8 hours from starting. At Panasonic Amenity Room (size: 16.6 m²) This is

the maximum energy savings value, and the effect differs according to conditions in installation and usage.

FLOOR CONSOLE TYPE INVERTER+

Technical focus

- · This units can be installed on R22 pipings
- · More efficient than ever for improved energy consumption and higher savings
- · Double airflow for better efficiency
- · Powerful mode for quick temperature setting
- · R410A refrigerant gas

Healthy air

express authorisation of Panasonic Marketing Europe GmbH

- · Soft dry operation mode
- · Odour-removing function

Energy, efficiency and ecology

- $\cdot \, \text{Maximum efficiency Inverter system}$
- · R410A refrigerant gas

Comfort

- · Super Ouiet
- · Powerful mode
- · Automatic vertical airflow control
- · Hot start mode
- · Automatic restart

Ease of use

- \cdot Real time clock with single ON&OFF timer
- · User friendly infrared remote control

Easy installation and maintenance

- · Removable, washable panel
- · Maximum connection distance 15m (E9, 12), 20m (E18)
- · Maintenance access through the top panel of the outdoor unit
- · Self-diagnosis function









Upper & lower vane blow


Console designed for discreet integration on walls, and for high performance, specifically in heat mode even when the outside temperature is as low as -15°C.

Double airflow for improved comfort and temperature dispersion: through the top for an efficient cooling mode, through the bottom for quick heating.

Upper & lower vane blow

Optimum air flow from the top and bottom of the unit assures that even your feet are kept comfortably warm. (Only during heating)







Upward air flow efficiently

			E9GFEW	E12GFEW	E18GFEW
Cooling capacity	Nominal (Min - Max)	kW	2,50 (0,85 - 3,00)	3,50 (0,85 - 3,80)	5,00 (0,98 - 5,60)
SEER	Nominal	Energy Saving	6,10 <a++< th=""><th>5,80 A+</th><th>6,20 A++</th></a++<>	5,80 A+	6,20 A++
Power input cooling	Nominal	kW	0,560	0,940	1,540
Heating capacity	Nominal (Min - Max)	kW	3,40 (0,85 - 5,00)	4,00 (0,85 - 6,00)	5,80 (0,98 - 7,10)
SCOP	Nominal	Energy Saving	3,80 A	3,80 A	3,90 A
Pdesign at -10°C		kW	2,7	3,2	4,4
Power input heating	Nominal	kW	0,810	1,000	1,600
Indoor Unit					
Current (Nominal)	Cooling	Α	2,6	4,4	7,2
	Heating	Α	3,75	4,6	7,5
Sound pressure level ⁽⁾	Cooling (Hi / Lo / S-Lo)	dB(A)	38 / 27 / 23	39 / 28 / 24	44 / 36 / 32
	Heating (Hi / Lo / S-Lo)	dB(A)	38 / 27 / 23	39 / 27 / 23	46 / 36 / 32
Dimensions	H x W x D	mm	600 x 700 x 210	600 x 700 x 210	600 x 700 x 210
Outdoor Unit					
Sound pressure level ⁾	Cooling (Hi)	dB(A)	46	48	47
	Heating (Hi)	dB(A)	47	50	48
Dimensions ²⁾	H x W x D	mm	542 x 780 x 289	619 x 824 x 299	695 x 875 x 320
Operating range	Cooling Min / Max	°C	+16 / +43	+16 / +43	+16 / +43
	Heating Min / Max	°C	-15 / +24	-15 / +24	-15 / +24

Rating Conditions: Cooling Indoor 27°C DB / 19°C WB. Cooling Outdoor 35°C DB / 24°C WB. Heating Indoor 20°C DB. Heating Outdoor 7°C DB / 6°C WB. (DB: Dry Bulb; WB: Wet Bulb)

1) The Sound pressure level of the units shows the value measured of a position 1 metre in front of the main body and 1 m below the unit. The sound pressure is measured in accordance with Eurovent 6/C/006-97 specification. 2) Add 70 mm for piping port. Specifications subject to change without notice.

For detailed information about ErP, please visit our page http://www.ptc.panasonic.eu



novation of our products, the specifications of this catalogue are valid barring typographic errors, and may be subject to minor modifi cations by the

The A Inverter system provides energy savings of up to 50%.Both you and nature



Exceptional
Seasonal Cooling
Efficiency based
on the new ErP
regulation.
Higher SEER
ratings mean
greater efficiency.
Save all the year
while cooling!
For KIT-E18-PFE.



Seasonal Heating
Efficiency based
on the new ErP
regulation.
Higher SCOP
ratings mean
greater efficiency.
Save all the year
while heating!
For KIT-E18-PFE.



Super Quiet Mode.
Thanks to its latest
generation
compressor and its
twin blade fan, our
outdoor unit is one
of the most silent on
the market. The
indoor unit emits an
almost imperceptible



Old systems using R22 refrigerant can be easily replaced with Panasonic solution.



Rotary Compressor.
Designed to withstand
extreme conditions,
Panasonic Rotary
delivers high
performance,
efficiency and reliable
service, no matter
where you are.

New Panasonic R2



We guarantee the compressors in the entire range for five years.







Oficiālais Panasonic siltumsūkņu izplatītājs un sertificēts servisa centrs Baltijā "RIKON AC" www.kondicionieris.lv